

 **MAXUS**

**DELIVER 9**



# MAXUS DELIVER 9 VARIANTS

## Specifications

MAXUS DELIVER 9(UK/EU)-EURO 6E	N1							
BODY TYPE	VAN				CAB			
EU MODEL	L3H2 VAN	L3H3 VAN	L3H2 VAN	L3H3 VAN	L3 L4 CAB		L3 L4 CAB	
	FWD	FWD	RWD	RWD	RWD	RWD	RWD	RWD
	SRW	SRW	SRW	SRW	SRW	SRW	DRW	DRW
ENGINE	SAIC π D20							
Capacity (cc)	Four-cylinder 16-valve, double EGR, dual-axis balancing system, dual independent cooling cycle, variable displacement oil pump, variable eddy current ratio SAIC π diesel engine							
Cylinders/Volvs	4/16							
Max Power (kW /rpm)	110/3500							
MaxTorque (Nm /rpm)	375/1500-2400							
Fuel System	DIESEL							
Euro Status	EURO 6V1E							
Stop & Start System	YES							
BRAKES Front/Rear	Front/Rear Disc Brake							
TRANSMISSION								
Gearbox	MANUAL							
Number of Gears	6							
ECONOMY Litres/100km/62mi (WLTP)								
Low	10	10	11	11	12	12	11	11
Medium	8	8	9	9	10	10	10	11
High	8	8	8	8	10	11	11	12
Extra High	10	10	11	11	14	15	14	15
Combined	9	9	10	10	11	12	12	13
CO2 EMISSIONS (g/km) (WLTP)								
Low	268	274	289	299	305	305	289	298
Medium	219	225	238	242	253	275	265	285
High	204	214	220	226	260	297	277	309
Extra High	264	275	280	297	360	391	368	393
Combined	237	246	254	264	300	327	308	332

# MAXUS DELIVER 9 VARIANTS

## Specifications

MAXUS DELIVER 9(UK/EU)-EURO 6E	N1							
BODY TYPE	VAN				CAB			
EU MODEL	L3H2 VAN	L3H3 VAN	L3H2 VAN	L3H3 VAN	L3 L4 CAB		L3 L4 CAB	
	FWD	FWD	RWD	RWD	RWD	RWD	RWD	RWD
	SRW	SRW	SRW	SRW	SRW	SRW	DRW	DRW
<b>WEIGHTS</b>								
Gross Vehicle Weight GVW (kg)	3500	3500	3500	3500	3500	3500	3500	3500
Kerb weight (kg) Excluding Driver	2285/2315	2300/2330	2360/2390	2390/2420	1980	2010	2050	2080
Max front axle load(kg)	1950	1950	1950	1950	1950	1950	1950	1950
Max rear axle load(kg)	1900	1900	2180	2180	2180	2180	2180	2180
Payload:GVW-CVW(kg)	1215/1185	1200/1170	1140/1110	1110/1080	1520	1490	1490	1420
Gross Train Weights (GTW)	6000	6000	6000	6000	6000	6000	6000	6000
Towing capacity(braked) (kg)	2800	2800	2800	2800	2800	2800	2800	2800
Towing capacity(unbraked) (kg)	750	750	750	750	750	750	750	750
<b>DIMENSIONS</b>								
Overall length	5940	5940	5940	5940	6200	6680	6200	6680
Overall width with mirrors	2466	2466	2466	2466	2466/2549	2466/2549	2466/2549	2466/2549
Overall Height	2535	2755	2535	2755	2320	2320	2320	2320
Wheelbase	3760	3760	3760	3760	3760	4048	3760	4048
Length cargo space(mm)	3413	3413	3413	3413	NA	NA	NA	NA
Max width cargo space(mm)	1800	1800	1800	1800	NA	NA	NA	NA
Max width cargo space between wheel arches(mm)	1366	1366	1366	1366	NA	NA	NA	NA
Max height cargo space(mm)	1902	2119	1802	2019	NA	NA	NA	NA
Slide door width(mm)	1269	1269	1269	1269	NA	NA	NA	NA
Slide door height(mm)	1670	1670	1570	1570	NA	NA	NA	NA
Turning radius (m)	7	7	7	7	7	8	7	8
Cargo volume (m³) With Bulkhead	11.5	12.9	11	12.3	NA	NA	NA	NA
Rear door entry width	1570	1570	1570	1570	NA	NA	NA	NA
<b>OTHERS</b>								
Fuel Tank Capacity (Litres)	80							
Number of Seats	3							
Max Speed (MPH)	100	100	90	87	90	90	90	90
Max Speed (km/h)	160	160	145	140	145	145	145	145
Tires	215/75R16C		235/65R16C				195/75R16C	

# MAXUS DELIVER 9 VARIANTS

## Specifications

MAXUS DELIVER 9(UK/EU)-EURO 6E	N1							
BODY TYPE	VAN				CAB			
EU MODEL	L3H2 VAN	L3H3 VAN	L3H2 VAN	L3H3 VAN	L3 L4 CAB		L3 L4 CAB	
	FWD	FWD	RWD	RWD	RWD	RWD	RWD	RWD
	SRW	SRW	SRW	SRW	SRW	SRW	DRW	DRW
<b>EXTERIOR</b>								
Solid Paint (White)	S	S	S	S	S	S	S	S
Metallic Paint (Blue, Brown, Silver, Black)	O	O	O	O	O	O	O	O
Halogen Headlight + Halogen Rear Taillight	S	S	S	S	S	S	S	S
LED Headlight + LED Rear Taillight	O	O	O	O	O	O	O	O
Front & Rear fog lights	S	S	S	S	S	S	S	S
Single sliding door	S	S	S	S	NA	NA	NA	NA
Dual sliding door	O	O	O	O	NA	NA	NA	NA
Rear wing doors with 236°hinges	S	S	S	S	NA	NA	NA	NA
Steel Wheels 6.5 x 16	S	S	S	S	S	S	S	S
Alloy Wheel 6.5Jx16	O	O	O	O	O	O	O	O
Electric heated exterior mirrors	S	S	S	S	S	S	S	S
Sliding Door - No Side Step	S	S	S	S	NA	NA	NA	NA
Sliding Door- Electric Side Step*	O	O	O	O	NA	NA	NA	NA
Roof rack mounting points	S	-	S	-	NA	NA	NA	NA
Integrated Rear Step	S	S	S	S	NA	NA	NA	NA
Rear trailer tow interface	S	S	S	S	S	S	S	S
Rear trailer tow interface with controller**	O	O	O	O	NA	NA	NA	NA



